




Scan results for excelcentercolorado.org

 **Compliant**

Great news! Based on our scan, your webpage is accessible and conforms with WCAG standards.

 **accessWidget** is detected on the website

Thank you for making your website accessible and inclusive for all users with  **accessiBe**







Congratulations!

Your website is among the **3%** of inclusive and accessible websites globally. Well done!

● Inclusive websites ● Not inclusive websites

In the report you'll find the results for dozens of tests focusing mainly on these categories:

-  **Screen-reader** adjustments (blind users)
-  **Keyboard navigation** adjustments (motor impaired)
-  **UI, design and readability** adjustments (vision impaired)



#	Element	Relevant	Successes	Failures	Score
1	Elements that behave as buttons but are built using other tags such as span, div, a or others, should include a "role" attribute that equals to "button".	Yes	9	0	100

Successful Elements

```
<div class="elementor-swiper-button elementor-swiper-button-prev " role="button"
aria-controls="swiper-wrapper-398e6bc8bdf1aa0c" tabindex="0" > <span data-="true"
" data--position="before" aria-hidden="false" >Previous slide</span><svg aria-h
i ...
```

```
<div class="elementor-swiper-button elementor-swiper-button-next " role="button"
aria-controls="swiper-wrapper-398e6bc8bdf1aa0c" tabindex="0" > <span data-="true"
" data--position="before" aria-hidden="false" >Next slide</span><svg aria-hidde
n ...
```

```
<span class="swiper-pagination-bullet swiper-pagination-bullet-active" data-bulle
t-index="0" role="button" data-acsb-carousel-paging="true" tabindex="0" aria-curr
ent="true"><span data-="true" " data--position="before" aria-hidden="false" >Next
c ...
```

```
<span class="swiper-pagination-bullet " data-bullet-index="1" role="button" data-
acsb-carousel-paging="true" tabindex="0"><span data-="true" " data--position="bef
ore" aria-hidden="false" >Next carousel slide2</span></span>
```

```
<a class="elementor-button elementor-button-link elementor-size-sm " href="#conta
ct" role="button" data-custom-button-processed="true" style=";background-color:#f
fffff!important;color:#000000!important; "> <span class="elementor-button-conte ...
```

```
<a aria-label="" class="elementor-element elementor-element-139e8cd e-con-full to
Top z-second ratio-one-to-one e-flex default section-default-pad e-con e-parent "
data-id="139e8cd" data-element_type="container" data-settings="{&quot;background_
backg ...
```

```
<a href="#" id="cn-accept-cookie" data-cookie-set="accept" class="cn-set-cookie c
n-button " aria-label="Accept" style="undefined;background-color: #00a99d;backgro
und-color:#ffffff!important" role="button" data-custom-button-processed="true" da
ta- ...
```

```
<a href="#" id="cn-refuse-cookie" data-cookie-set="refuse" class="cn-set-cookie c
n-button " aria-label="No Thank You" style="undefined;background-color: #00a99d;b
ackground-color:#ffffff!important" role="button" data-custom-button-processed="tr
ue" ...
```

```
<span id="cn-close-notice" data-cookie-set="accept" class="cn-close-icon " tabind
ex="0" style=";background-color:#ffffff!important;color:#000000!important;" role
="button"><span data-="true" " data--position="after" aria-hidden="false" >No Tha
nk ...
```

Buttons should include text explaining their functionality, and if icons are used as buttons, a screen-reader only text or an "aria-label" attribute should be used for that description.

Successful Elements

```
<div class="elementor-swiper-button elementor-swiper-button-prev " role="button"
aria-controls="swiper-wrapper-398e6bc8bdf1aa0c" tabindex="0" > <span data-="true"
" data--position="before" aria-hidden="false" >Previous slide</span><svg aria-h
i ...
```

```
<div class="elementor-swiper-button elementor-swiper-button-next " role="button"
aria-controls="swiper-wrapper-398e6bc8bdf1aa0c" tabindex="0" > <span data-="true"
" data--position="before" aria-hidden="false" >Next slide</span><svg aria-hidde
n ...
```

```
<span class="swiper-pagination-bullet swiper-pagination-bullet-active" data-bulle
t-index="0" role="button" data-acsb-carousel-paging="true" tabindex="0" aria-curr
ent="true"><span data-="true" " data--position="before" aria-hidden="false" >Next
c ...
```

```
<span class="swiper-pagination-bullet " data-bullet-index="1" role="button" data-
acsb-carousel-paging="true" tabindex="0"><span data-="true" " data--position="bef
ore" aria-hidden="false" >Next carousel slide2</span></span>
```

```
<a class="elementor-button elementor-button-link elementor-size-sm " href="#conta
ct" role="button" data-custom-button-processed="true" style=";background-color:#f
fffff!important;color:#000000!important;"> <span class="elementor-button-conte ...
```

```
<a aria-label="" class="elementor-element elementor-element-139e8cd e-con-full to
Top z-second ratio-one-to-one e-flex default section-default-pad e-con e-parent "
data-id="139e8cd" data-element_type="container" data-settings="{&quot;background_
backg ...
```

```
<a href="#" id="cn-accept-cookie" data-cookie-set="accept" class="cn-set-cookie c
n-button " aria-label="Accept" style="undefined;background-color: #00a99d;backgro
und-color:#ffffff!important" role="button" data-custom-button-processed="true" da
ta- ...
```

```
<a href="#" id="cn-refuse-cookie" data-cookie-set="refuse" class="cn-set-cookie c
n-button " aria-label="No Thank You" style="undefined;background-color: #00a99d;b
ackground-color:#ffffff!important" role="button" data-custom-button-processed="tr
ue" ...
```

```
<span id="cn-close-notice" data-cookie-set="accept" class="cn-close-icon " tabind
ex="0" style=";background-color:#ffffff!important;color:#000000!important;" role
="button"><span data-="true" " data--position="after" aria-hidden="false" >No Tha
nk ...
```

3	Links should include text that is setting expectations to what page they are leading to. If empty links are used as layout wrapping elements, a screen-reader only text or an "aria-label" attribute should be used for that description.	No	0	0
---	---	----	---	---

4	Links that open in a new tab or a new window should either have an "aria-label" attribute or a screen-reader only element explaining to screen-readers that this opens in a new tab.	No	0	0
---	--	----	---	---

5	An H1 title provides information to blind-users using screen-readers of what the main topic of the page is and each page should have exactly one H1 title.	No	0	0
---	--	----	---	---

6	HTML title elements (H1-6) should have texts. If images or links are used, they should include an alternative or screen-reader only text.	Yes	16	0	100
---	---	-----	----	---	-----

7	Elements that visually appear as titles but are coded with a non-heading HTML Tag should include a "role" attribute that equals to "heading" or have their tags fixed.	Yes	4	0	100
---	--	-----	---	---	-----

Successful Elements

```
<p role="heading" data-acsb-fake-title="true" aria-level="3"><span style="font-weight: 400;background-color:#ffffff!important;color:#000000!important;" data-acsb-original-style="font-weight: 400" >At this school, I never feel alone. The staff here ca ...
```

```
<span style="font-weight: 400;background-color:#ffffff!important;color:#000000!important;" data-acsb-original-style="font-weight: 400" >At this school, I never feel alone. The staff here care about students, and the learning is in-person, so I feel m ...
```

```
<span class="elementor-heading-title elementor-size-default " role="heading" data-acsb-fake-title="true" aria-level="2">- Fayia</span>
```

```
<p >Program Partners</p>
```

8	Title levels should not be skipped and should be built with consistent hierarchy. For example: you cannot have "h4" titles and "h2" titles without having "h3" titles.	No	0	0
---	--	----	---	---

9	Interactive elements such as links, buttons and form fields should all be navigable using the keyboard by either using a focusable element (a, button, input, etc.) or including the "tabindex" attribute that equals to "0".	Yes	6	0	100
---	---	-----	---	---	-----

Successful Elements

```
<div role="button" tabindex="0" aria-label="" class="elementor-element elementor-element-dc18e2f None None default default default center-center default default none none elementor-widget elementor-widget-image" data-id="dc18e2f" data-element_type="w ...
```

```
<div class="elementor-swiper-button elementor-swiper-button-prev " role="button" aria-controls="swiper-wrapper-398e6bc8bdf1aa0c" tabindex="0" > <span data-="true" " data--position="before" aria-hidden="false" >Previous slide</span><svg aria-h i ...
```

```
<div class="elementor-swiper-button elementor-swiper-button-next " role="button" aria-controls="swiper-wrapper-398e6bc8bdf1aa0c" tabindex="0" > <span data-="true" " data--position="before" aria-hidden="false" >Next slide</span><svg aria-hidde n ...
```

```
<span class="swiper-pagination-bullet swiper-pagination-bullet-active" data-bullet-index="0" role="button" data-acsb-carousel-paging="true" tabindex="0" aria-current="true"><span data-="true" " data--position="before" aria-hidden="false" >Next c ...
```

```
<span class="swiper-pagination-bullet " data-bullet-index="1" role="button" data-acsb-carousel-paging="true" tabindex="0"><span data-="true" " data--position="before" aria-hidden="false" >Next carousel slide2</span></span>
```

```
<span id="cn-close-notice" data-cookie-set="accept" class="cn-close-icon " tabindex="0" style=";background-color:#ffffff!important;color:#000000!important;" role="button"><span data-="true" " data--position="after" aria-hidden="false" >No Thank ...
```

10	Interactive elements that can be navigated using the keyboard should be surrounded by a visual outline whenever they are focused.	Yes	Pass	-	100
----	---	-----	------	---	-----

11	Active popups should include an "aria-modal" attribute that equals to "true", and a "role" attribute that equals to "dialog", so screen-reader users know how to navigate within it.	No	0	0
----	--	----	---	---

12	Every page should include hidden links that by clicking on them (either using keyboard navigation or a screen-reader), the user will "skip" certain blocks directly to main landmarks such as main content, menu or footer.	Yes	Pass	-	100
----	---	-----	------	---	-----

13	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should be wrapped inside an element with an "aria-hidden" attribute that equals to "false", or include it directly, and have it dynamically changed to "true" when they become visible.	No	0	0
----	---	----	---	---

14	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should include a "tabindex" attribute that is below 0, and have it dynamically changed to 0 when they become visible.	No	0	0
----	---	----	---	---

15	Menus should either be built using the HTML5 "nav" element or include a "role" attribute that equals to "menu" or "navigation" to indicate a navigation landmark for screen-readers.	Yes	3	0	100
----	--	-----	---	---	-----

Successful Elements

```
<ul class="elementor-icon-list-items elementor-inline-items" data-acsb-menu="ul" > <li class="elementor-icon-list-item elementor-inline-item" data-acsb-menu="li" data-acsb-menu-root="true" data-acsb-hover="true" > <a href="https:// ...
```

```
<nav class="elementor-nav-menu--main elementor-nav-menu__container elementor-nav-menu--layout-horizontal e--pointer-text e--animation-none" role="navigation" data-acsb-main-menu="true" aria-label="Main Menu"> <ul id="menu-1-e17dbf6" class="ele men ...
```

16	Menu items that have a dropdown menu include an "aria-haspopup" attribute that equals to "true".	Yes	2	0	100
----	--	-----	---	---	-----

Successful Elements

```
<a href="https://excelcentercolorado.org/our-schools/" class="elementor-item has-submenu " role="link" id="sm-17156252455417476-1" aria-controls="sm-17156252455417476-2" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-li ...
```

```
<a href="https://excelcentercolorado.org/about/" class="elementor-item has-submenu " role="link" id="sm-17156252455417476-3" aria-controls="sm-17156252455417476-4" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="tr ...
```

17	Menu items that have a dropdown menu include an "aria-expanded" attribute that equals to "false" that changes to "true" and back when opening or closing the dropdown.	Yes	2	0	100
----	--	-----	---	---	-----

Successful Elements

```
<a href="https://excelcentercolorado.org/our-schools/" class="elementor-item has-submenu " role="link" id="sm-17156252455417476-1" aria-controls="sm-17156252455417476-2" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-li ...
```

```
<a href="https://excelcentercolorado.org/about/" class="elementor-item has-submenu " role="link" id="sm-17156252455417476-3" aria-controls="sm-17156252455417476-4" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="tr ...
```

18 Images should have an alternative text description that describes both the objects and the embedded text that the image contains, using the "alt" attribute. 5 0 100

Successful Elements

```

```

```
<path d="M31.3 192h257.3c17.8 0 26.7 21.5 14.1 34.1L174.1 354.8c-7.8 7.8-20.5 7.8-28.3 0L17.2 226.1C4.6 213.5 13.5 192 31.3 192 ...
```

```
<svg class="e-font-icon-svg e-fas-caret-down" viewBox="0 0 320 512" xmlns="http://www.w3.org/2000/svg" ><path d="M31.3 192h257.3c17.8 0 26.7 21.5 14.1 34.1L174.1 354.8c-7.8 7.8-20.5 7.8-28.3 0L17.2 226.1C4.6 213.5 13.5 192 31.3 192z" style="display: ...
```

```
<span class="swiper-notification" aria-live="assertive" aria-atomic="true" aria-hidden="true" ></span>
```

```
<svg xmlns="http://www.w3.org/2000/svg" id="Layer_2" data-name="Layer 2" viewBox="0 0 165.79 157.07" aria-hidden="true" ><defs ><style style=";background-color:#ffffff!important;color:#000000!important;" > .cls-1 { fill: #24408e; ...
```

```
<svg aria-hidden="true" class="e-font-icon-svg e-fas-chevron-left" viewBox="0 0 320 512" xmlns="http://www.w3.org/2000/svg" ><path d="M34.52 239.03L228.87 44.69c9.37-9.37 24.57-9.37 33.94 0l22.67 22.67c9.36 9.36 9.37 24.52.04 33.9L131.49 256l154.02 1 ...
```

```
<svg aria-hidden="true" class="e-font-icon-svg e-fas-chevron-right" viewBox="0 0 320 512" xmlns="http://www.w3.org/2000/svg" ><path d="M285.476 272.971L91.132 467.314c-9.373 9.373-24.569 9.373-33.941 0l-22.667-22.667c-9.357-9.357-9.375-24.522-.04-33....
```

```
<span class="swiper-notification" aria-atomic="true" aria-hidden="true" ></span>
```

```
<svg aria-hidden="true" class="e-font-icon-svg e-fas-chevron-left" viewBox="0 0 320 512" xmlns="http://www.w3.org/2000/svg" data-acsb-force-hidden="true" ><path d="M34.52 239.03L228.87 44.69c9.37-9.37 24.57-9.37 33.94 0l22.67 22.67c9.36 9.36 9.37 24 ...
```

```
<svg aria-hidden="true" class="e-font-icon-svg e-fas-chevron-right" viewBox="0 0 320 512" xmlns="http://www.w3.org/2000/svg" data-acsb-force-hidden="true" ><path d="M285.476 272.971L91.132 467.314c-9.373 9.373-24.569 9.373-33.941 0l-22.667-22.667c-9 ...
```

```
<span class="elementor-divider-separator"> </span>
```

21

Figure elements that are used to display images should have a "role" attribute that equals to "none" and the image provide itself should provide the description using an "alt" attribute.

4

0

100

Successful Elements

```
<figure class="elementor-image-box-img" role="none"><img decoding="async" width="310" height="219" src="https://excelcentercolorado.org/wp-content/uploads/2024/03/3e7a6734_53037221723_o.jpg" class="attachment-full size-full wp-image-4738" alt="Goodwi ...
```



```
<figure class="elementor-image-box-img" role="none"> <li cl ...
```

```
<ul class="sub-menu elementor-nav-menu--dropdown acsb-hidden " id="sm-17156252455417476-4" role="region" aria-hidden="true" aria-labelledby="sm-17156252455417476-3" data-acsb-menu="ul" data-acsb-dropdown="a7zn2k7g3qxn" aria-label="Submenu" > <li cl ...
```

```
<ul class="sub-menu elementor-nav-menu--dropdown " id="sm-1715625245546745-2" role="group" aria-hidden="true" aria-labelledby="sm-1715625245546745-1" aria-expanded="false" style=";background-color:#ffffff!important;color:#000000!important;" > <li cl ...
```

```
<ul class="sub-menu elementor-nav-menu--dropdown " id="sm-1715625245546745-4" role="group" aria-hidden="true" aria-labelledby="sm-1715625245546745-3" aria-expanded="false" style=";background-color:#ffffff!important;color:#000000!important;" >
<li cl ...
```

29 All forms should have a submission button that is built as an input type "submit" or a "button" element, or include a "role" tag that equals to "button". Buttons can be hidden if the form can be submitted using the Enter key. No 0 0

30 Search forms should include a "role" tag that equals to "search" (or be wrapped by one) to indicate a search landmark for screen-readers. No 0 0

31 The title tag of the HEAD section (also the title that appears in the browser tab and Search Engine result pages) should exist and describe the name of the current webpage for screen-reader users. Yes Pass - 100

Successful Elements

```
<title>Get your Highschool Diploma - The Excel Center</title>
```

32 The HTML tag should include a "lang" attribute that represents the main language of the webpage so screen-readers can calibrate on it for blind users. Yes Pass - 100

Successful Elements

```
<html lang="en-US" prefix="og: https://ogp.me/ns#" style="--acsb-keynav:3px;" id="acsb-light-contrast" class="acsb-light-contrast"><head><meta http-equiv="origin-trial" content="Az520Inasey3TAYqLyQjQa8MnmCALSEU29yQFW8dePZ7xQTVst73pHazLFTK5f7S yLUJS02u ...
```

33 The meta viewport tag should allow vision impaired users to pinch-zoom at least double the standard scaling using the user-scalable="yes" and maximum-scale={2 or higher} content strings. Yes Pass - 100

Successful Elements

```
<meta name="viewport" content="width=device-width, initial-scale=1">
```

34 Landmarks such as main content and footer should be built using their corresponding HTML5 element or include a description using an "aria-label" attribute and a "role" tag that equals to "contentinfo" or "main". Landmarks such as search and navigation are tested in other sections. Yes 3 0 100

Successful Elements

```
<main id="content" class="site-main post-4709 page type-page status-publish hentry progress_status-ready-to-review" role="main" data-acsb-main="true"> <div class="page-content"> <div data-elementor-type="wp-page" data-elementor-id="4709" class ...
```

```
<footer tabindex="" aria-label="Footer" data-dce-background-color="#1B306B" class="elementor-element elementor-element-d8dd841 z-third force100 e-flex e-con-boxed default section-default-pad section-default-pad default default e-con e-parent" data-id ...
```

35 Font sizes should be at least 11px in size in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents. Yes Pass - 100

36 Letter spacing should not be set to below -1px in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents. Yes Pass - 100

37 Elements that have texts should meet a minimum contrast ratio of 4.5:1 between their foreground (usually text color) and background color. Yes 63 0 100

Successful Elements

```
<span class="elementor-icon-list-text" style=";background-color:#ffffff!important;color:#000000!important;">Enrollment</span>
```

```
<span class="elementor-icon-list-text" style=";background-color:#ffffff!important;color:#000000!important;">Contact</span>
```

```
<span class="elementor-icon-list-text" style=";background-color:#ffffff!important;color:#000000!important;">Donate</span>
```

```
<a href="https://excelcentercolorado.org/why-excel/" class="elementor-item" role="link" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" data-acsb-tooltip="Use </> to navigate" style=";background-color:#ffff ...
```

```
<a href="https://excelcentercolorado.org/our-schools/" class="elementor-item has-submenu" role="link" id="sm-17156252455417476-1" aria-controls="sm-17156252455417476-2" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-li ...
```

```
<a href="https://excelcentercolorado.org/how-we-help/" class="elementor-item " role="link" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" style=";background-color:#ffffff!important;color:#000000!important;"> ...
```

```
<a href="https://excelcentercolorado.org/events/" class="elementor-item " role="link" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" style=";background-color:#ffffff!important;color:#000000!important;">Event ...
```

```
<a href="https://excelcentercolorado.org/news/" class="elementor-item " role="link" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" style=";background-color:#ffffff!important;color:#000000!important;">News</a ...
```

```
<a href="https://excelcentercolorado.org/about/" class="elementor-item has-submenu " role="link" id="sm-17156252455417476-3" aria-controls="sm-17156252455417476-4" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="tr ...
```

```
<a href="/about/#faq" class="elementor-item elementor-item-anchor " role="link" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" style=";background-color:#ffffff!important;color:#000000!important;">F.A.Q.s</a>
```

38 Carousels should include an "aria-label" attribute that equals to "carousel"/"slider" or something else that indicates the functionality, as well as be tagged as a landmark for screen-readers using a "role" tag that equals to "contentinfo". No 0 0

39 Control elements such as next and previous icons should include an "aria-label" attribute or a screen-reader only text that explains the functionality to screen-readers. Yes 2 0 100

Successful Elements

```
<div class="elementor-swiper-button elementor-swiper-button-prev " role="button" aria-controls="swiper-wrapper-398e6bc8bdf1aa0c" tabindex="0" > <span data--="true" " data--position="before" aria-hidden="false" >Previous slide</span><svg aria-hi ...
```

```
<div class="elementor-swiper-button elementor-swiper-button-next " role="button" aria-controls="swiper-wrapper-398e6bc8bdf1aa0c" tabindex="0" > <span data--="true" " data--position="before" aria-hidden="false" >Next slide</span><svg aria-hidde n ...
```

40 A common accessibility mistake is to treat carousels as No live regions using the "aria-live" attribute and the "polite" or the "assertive values. Using this practice will cause screen-readers to cut and skip announcements. No 0 0

41	Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text.	Yes	2	0	100
----	---	-----	---	---	-----

Successful Elements

```
<span class="swiper-pagination-bullet swiper-pagination-bullet-active" data-bullet-index="0" role="button" data-acsb-carousel-paging="true" tabindex="0" aria-current="true"><span data--="true" " data--position="before" aria-hidden="false" >Next C ...
```

```
<span class="swiper-pagination-bullet " data-bullet-index="1" role="button" data-acsb-carousel-paging="true" tabindex="0"><span data--="true" " data--position="before" aria-hidden="false" >Next carousel slide2</span></span>
```

42	Tables that are being used as layout structures should include a "role" attribute that equals to "presentation" to indicate to screen-readers that it is not really a table.	No	0	0
----	--	----	---	---

43	If nested tables are used (a table element within a table cell), set the nested tables "role" attribute to "presentation".	No	0	0
----	--	----	---	---

44	Tables that are missing a THEAD row with TH elements, should include a "role" attribute that equals to "rowheader" on the TD elements of the TR that represents the visual table headings.	No	0	0
----	--	----	---	---

45	Visually deleted texts (often used to show a previous price of a sale) should include an "aria-label" attribute or a screen-reader only text that explains this is deleted text.	No	0	0
----	--	----	---	---

46	Breadcrumbs main element should include a "role" attribute that equals to "navigation" and an "aria-label" attribute that describes the functionality."	No	0	0
----	---	----	---	---

47	Ratings/scores that are represented visually using stars, meters or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate.	No	0	0
----	---	----	---	---

48	Making use of an accessibility interface helps to ensure that vision impaired users can adjust some of the UI and the design (font-size, colors, spacing, etc.) to their needs. It is not a compliance requirement, but can help to improve compliance.	Yes	Pass	-	100
----	---	-----	------	---	-----

Iframe elements should include a "title" or an "aria-label" attribute explaining the purpose, the functionality or the destination of the iframe, or be tagged hidden for screen-readers if irrelevant.

Successful Elements

```
<iframe loading="lazy" src="https://maps.google.com/maps?q=15445%20E%20Iliff%20Avenue%20Aurora%2C%20CO%2080013&utm=m&z=12&output=embed&iwloc=near" aria-label="Google Iframe" data-acsb-force-navigable="true" data-acsb-scrape-url="https ...
```

```
<iframe width="256" height="60" role="presentation" name="a-phcf9swni3w7" frameborder="0" scrolling="no" sandbox="allow-forms allow-popups allow-same-origin allow-scripts allow-top-navigation allow-modals allow-popups-to-escape-sandbox" src="https:// ...
```

```
<iframe class="elementor-video" frameborder="0" allowfullscreen="" allow="accelerometer; autoplay; clipboard-write; encrypted-media; gyroscope; picture-in-picture; web-share" referrerpolicy="strict-origin-when-cross-origin" width="640" height="360" s ...
```